primary question about whether lower aspirin doses (100 mg/day and 300 mg/day) are non-inferior to 600 mg/day in reducing Lynch syndrome-associated colorectal cancer incidence. Until then, CAPP2 provides a compelling rationale for broader aspirin use in most Lynch syndrome carriers with dosing and duration tailored according to individual risks and benefits.

MBY reports consulting and scientific advisory board fees from Janssen Pharmaceuticals for work that is unrelated to the CAPP2 study or the material discussed in this Comment. ATC reports consulting and scientific advisory board fees from Bayer Pharma AG, Pfizer, and Boehringer Ingelheim for work that is unrelated to the CAPP2 study or the material discussed in this Comment.

Copyright © 2020 The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY-NC-ND 4.0 license.

Matthew B Yurgelun, *Andrew T Chan achan@mgh.harvard.edu

Dana-Farber Cancer Institute, Boston, MA, USA (MBY); Brigham & Women's Hospital, Boston, MA, USA (MBY); Harvard Medical School, Boston, MA, USA (MBY, ATC); and Massachusetts General Hospital, Boston, MA 02114, USA (MBY, ATC)

1 Engel C, Vasen HF, Seppala T, et al. No difference in colorectal cancer incidence or stage at detection by colonoscopy among 3 countries with different Lynch syndrome surveillance policies. Gastroenterology 2018; 155: 1400-09.

- 2 Ahadova A, Gallon R, Gebert J, et al. Three molecular pathways model colorectal carcinogenesis in Lynch syndrome. Int J Cancer 2018; 143: 139–50.
- Burn J, Bishop DT, Mecklin JP, et al. Effect of aspirin or resistant starch on colorectal neoplasia in the Lynch syndrome. N Engl J Med 2008; 359: 2567–78.
- 4 Burn J, Gerdes AM, Macrae F, et al. Long-term effect of aspirin on cancer risk in carriers of hereditary colorectal cancer: an analysis from the CAPP2 randomised controlled trial. Lancet 2011; 378: 2081–87.
- 5 Burn J, Sheth H, Elliott F, et al. Cancer prevention with aspirin in hereditary colorectal cancer (Lynch syndrome), 10-year follow-up and registry-based 20-year data in the CAPP2 study: a double-blind, randomised, placebo-controlled trial. Lancet 2020; 395: 1855-63.
- 6 Drew DA, Cao Y, Chan AT. Aspirin and colorectal cancer: the promise of precision chemoprevention. Nat Rev Cancer 2016; 16: 173–86.
- 7 Stjepanovic N, Moreira L, Carneiro F, et al. Hereditary gastrointestinal cancers: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Ann Oncol 2019; 30: 1558–71.
- 8 NCCN. Clinical Practice Guidelines in Oncology. Genetic/familial high-risk assessment: colorectal. Version 3. 2019. http://www.nccn.org/professionals/ physician_gls/pdf/genetics_colon.pdf (accessed Feb 20, 2020).
- 9 McNeil JJ, Wolfe R, Woods RL, et al. Effect of aspirin on cardiovascular events and bleeding in the healthy elderly. N Engl J Med 2018; 379: 1509–18.
- McNeil JJ, Nelson MR, Woods RL, et al. Effect of aspirin on all-cause mortality in the healthy elderly. N Engl J Med 2018; 379: 1519–28.
- 11 Chan AT, McNeil J. Aspirin and cancer prevention in the elderly: where do we go from here? Gastroenterology 2019; 156: 534–38.
- Movahedi M, Bishop DT, Macrae F, et al. Obesity, Aspirin, and risk of colorectal cancer in carriers of hereditary colorectal cancer: a prospective investigation in the CAPP2 study. J Clin Oncol 2015; 33: 3591–97.



The WHO we want

Published Online June 5, 2020 https://doi.org/10.1016/ S0140-6736(20)31298-8 The 73rd World Health Assembly convened virtually in May, 2020, in a climate of international dissent. Caught in the midst of tensions between the USA and China, WHO has been the target of US President Trump's attacks and of multiple grievances. ^{1,2} In recent years, WHO has often been criticised for what it should have done or did not oversee, and for the political approach³ to the agency's management by its Director-General Tedros Adhanom Ghebreyesus.

WHO is not perfect. No one would deny its limitations, dysfunctions, and bureaucratic processes. However, we believe that WHO should be supported in its full mandate and its coordinating role in international health crises should be reaffirmed. The global community also needs to clarify what we can expect from this UN agency.

Never has the need for multilateralism been greater. Never have health challenges been more global.⁵ The response to the COVID-19 pandemic calls for unprecedented global solidarity.⁶ No nation can address this crisis in isolation, even if some governments retain the illusion they can.

In the past 20 years, multilateral cooperation helped in responding effectively to HIV/AIDS, tuberculosis, and malaria.⁷ Multilateral cooperation also paved the

way for large-scale vaccination campaigns in fragile settings.⁸ Many low-income and middle-income countries have been supported by multilateralism to develop sustainable, resilient, country-owned health strategies.⁹

We call on UN member states to recognise their roles and responsibilities in the governance of WHO. We call on nations to restore multilateral cooperation on global health. Such cooperation will require funding, collective thinking, political leadership, and technical rigour. We also need active intellectual and strategic investment; support, not empty criticism; and commitment, not abandonment.

The global community must reflect on which WHO we want in leading the response to COVID-19. In the wake of the outbreak of severe acute respiratory syndrome, WHO member states ratified the International Health Regulations (2005) (IHR)¹⁰ as a legally binding international treaty. In doing so, member states committed to report to WHO and to prepare for and respond to any disease outbreaks that could become global public health threats.¹¹

Created in 2016 after the outbreak of Ebola virus disease in west Africa, the WHO Health Emergencies Programme¹² has been effective in responding to outbreaks of yellow fever, polio, smallpox, and Zika virus disease, as well as

Ebola virus disease in the Democratic Republic of the Congo,¹³ despite scarce funding and operative challenges. However, COVID-19 has exposed how inadequate the preparedness for a pandemic has been, including in those countries with strong health systems.¹⁴ Clearly, the IHR need to be comprehensively strengthened.

In relation to the COVID-19 pandemic, we call on WHO to focus on and be held accountable for the following areas of work. First, provide regularly updated recommendations from independent expert committees on preventive strategies and potential treatments for COVID-19. Second, propose universal and standardised ways of collecting and reporting epidemiological data from countries. Third, accelerate the evaluation, selection, and prequalification of diagnostic tests. Fourth, consolidate information on COVID-19 vaccine research progress and work upstream with partners to ensure equitable access and affordability of therapeutics and vaccines as they become available. Fifth, facilitate logistical coordination and supply of reagents, personal protective equipment, and potential treatments. Finally, support countries with fragile health systems to maintain continuity of routine health care, particularly for chronic diseases, and primary health care.

Which WHO do we want after the COVID-19 pandemic? WHO must evolve to become more results-oriented and responsive. Such an evolution requires more than a functional review: it calls for a thorough transformation that overcomes political divisions and empowers WHO with the ability to question and constructively criticise national health strategies.¹⁵

We call for a WHO whose technical authority is fully recognised by member states and is free of political considerations, and whose funding does not depend on unreliable voluntary contributions; a WHO that gives a fair role to civil society and other non-governmental actors in its governance; and a WHO that primarily focuses on the mandate of a technical agency in health, as set by its founders in 1948.¹⁶

We call for a WHO with full legitimacy as the world's leading institution in global health, with enhanced authority to enforce its norms and standards and to coordinate global action. WHO needs the resources to publicly warn and potentially call for sanctions against member states that do not comply with global health imperatives.

Health is a global political matter¹⁷ and a public good for humanity.¹⁸ The prevention of illness and promotion



of health entail programmes that sometimes conflict with economic priorities. ¹⁹ WHO should thus be able to recommend scientific and evidence-based solutions, such as decisions aimed at reducing consumption of tobacco, alcohol, and sugar-sweetened beverages or reducing environmental risks, such as those associated with air pollution. ²⁰ WHO should be granted the full authority to coordinate global health emergencies. The agency should be empowered to compel health-related data transparency by sending independent observers to countries.

WHO will evolve only if national governments give priority to a global collective approach to global health issues. However, this move is not enough. The new health governance should give appropriate space to emerging economies and to low-income countries. WHO will not recover its full authority if member states do not waive some of their national prerogatives for the benefit of global public health.

M-PK is a former Assistant-Director General of WHO. LM is a former Executive Director of Unitaid and is a member of the board of directors of Orasure Technologies, Inc. MK is a former Executive Director of the Global Fund to Fight AIDS, Tuberculosis and Malaria. We are all members of the Santé mondiale 2030 think tank. We declare no other competing interests.

Olivier Nay, Marie-Paule Kieny, Lelio Marmora, *Michel Kazatchkine

contact@michelkazatchkine.com

University of Paris Panthéon-Sorbonne, Paris, France (ON); Institut National de la Santé et de la Recherche Médicale (INSERM), Paris, France (M-PK); The Management Lab, Geneva, Switzerland (LM); and Global Health Center, Graduate Institute for International Affairs and Development, 1211 Geneva, Switzerland (MK)

- The Economist. America and China take their rivalry to the World Health Organization. The Economist, May 17, 2020.
- 2 Gramer R, Lynch C, Detsch J. Trump cuts US ties with World Health Organization amid pandemic. Foreign Policy, May 29, 2020.
- 3 Collins M. The WHO and China: dereliction of duty. Council on Foreign Relations, Feb 27, 2020. https://www.cfr.org/blog/who-and-chinadereliction-duty (accessed June 3, 2020).

For **Santé mondiale 2030** see www.santemondiale2030.fr

- Kamradt-Scott A. WHO's to blame? The World Health Organization and the 2014 Ebola outbreak in west Africa. Third World Quart 2016;
- Frenk J, Moon S. Governance challenges in global health. N Engl J Med 2013; 368: 936-42
- West-Oram PGN, Buyx A. Global health solidarity. Public Health Ethics 2017;
- Oberth G, Torres MA, Mumba O, O'Connor M. A guarter for prevention? Global Fund investments in HIV prevention interventions in generalized African epidemics. Univers | Public Health 2017; 5: 231-41.
- Zerhouni E. GAVI, the Vaccine Alliance. Cell 2019; 179: 13-17.
- Velasquez G. The right to health and medicines: the case of recent multilateral negotiations on public health, innovation and intellectual property. Bioethics 2014; 14: 67-74.
- Wilson K, Tigerstrom B, McDougall C. Protecting global health security through the International Health Regulations: requirements and challenges. CMAJ 2008; **179:** 4448.
- 11 Suthar AB, Allen LG, Cifuentes S, Dye C, Nagata JM. Lessons learnt from implementation of the International Health Regulations: a systematic review. Bull World Health Organ 2018; 96: 110-21E.
- WHO. WHO's role in emergencies. 2019. https://www.who.int/news-room/ q-a-detail/who-s-role-in-emergencies (accessed June 3, 2020).

- WHO Regional Office for Africa. WHO Health Emergencies Programme in the African Region: annual report 2016. Geneva: World Health
- Friedman S. COVID-19 has blown away the myth about "First" and "Third" world competence. The Conversation, May 13, 2020, https://theconversation. com/covid-19-has-blown-away-the-myth-about-first-and-third-worldcompetence-138464 (accessed June 3, 2020).
- Lei Ravelo J. Battered with criticism, what's next for WHO? Devex, May 18, 2020.
- Brown TM, Cueto M. The World Health Organization and the world of global health. In: Parker R, Sommer M, eds. Routledge handbook of global public health. Abingdon: Routledge, 2010: 18-30.
- Gill S, Benatar S. Global health governance and global power: a critical commentary on the Lancet-University of Oslo Commission report. Int J Health Serv 2016; 46: 346-65.
- Smith RD, MacKellar L. Global public goods and the global health agenda: problems, priorities and potential. Glob Health 2007; 3: 9.
- Moon S, Røttingen J, Frenk J. Global public goods for health: weaknesses and opportunities in the global health system. Health Econ Policy Law 2017; **12:** 195-205.
- Landrigan PJ, Fuller R, Acosta NJR, et al. The Lancet Commission on pollution and health. Lancet 2017; 391: 462-512.



(I) Retraction—Hydroxychloroquine or chloroquine with or without a macrolide for treatment of COVID-19: a multinational registry analysis

Published Online lune 4, 2020 https://doi.org/10.1016/ 50140-6736(20)31324-6 After publication of our Lancet Article, several concerns were raised with respect to the veracity of the data and analyses conducted by Surgisphere Corporation and its founder and our co-author, Sapan Desai, in our publication. We launched an independent thirdparty peer review of Surgisphere with the consent of Sapan Desai to evaluate the origination of the database elements, to confirm the completeness of the database, and to replicate the analyses presented in the paper.

Our independent peer reviewers informed us that Surgisphere would not transfer the full dataset, client contracts, and the full ISO audit report to their servers for analysis as such transfer would violate client agreements and confidentiality requirements. As such, our reviewers were not able to conduct an independent and private peer review and therefore notified us of their withdrawal from the peer-review process.

We always aspire to perform our research in accordance with the highest ethical and professional guidelines. We can never forget the responsibility we have as researchers to scrupulously ensure that we rely on data sources that adhere to our high standards. Based on this development, we can no longer vouch for the veracity of the primary data sources. Due to this unfortunate development, the authors request that the paper be retracted.

We all entered this collaboration to contribute in good faith and at a time of great need during the COVID-19 pandemic. We deeply apologise to you, the editors, and the journal readership for any embarrassment or inconvenience that this may have caused.

MRM reports personal fees from Abbott, Medtronic, Janssen, Roivant, Triple Gene, Mesoblast, Baim Institute for Clinical Research, Portola, Bayer, NupulseCV, FineHeart, and Leviticus. FR has been paid for time spent as a committee member for clinical trials, advisory boards, other forms of consulting, and lectures or presentations; these payments were made directly to the University of Zurich and no personal payments were received in relation to these trials or other activities since 2018. Before 2018 FR reports grants and personal fees from SJM/Abbott, grants and personal fees from Servier, personal fees from Zoll, personal fees from Astra Zeneca, personal fees from Sanofi, grants and personal fees from Novartis, personal fees from Amgen, personal fees from BMS, personal fees from Pfizer, personal fees from Fresenius, personal fees from Vifor, personal fees from Roche, grants and personal fees from Bayer, personal fees from Cardiorentis, personal fees from Boehringer Ingelheim, other from Heartware, and grants from Mars. ANP declares no

*Mandeep R Mehra, Frank Ruschitzka, Amit N Patel mmehra@bwh.harvard.edu

Brigham and Women's Hospital Heart and Vascular Center and Harvard Medical School, Boston, MA 02115, USA (MRM); University Heart Center, University Hospital Zurich, Zurich, Switzerland (FR); Department of Biomedical Engineering, University of Utah, Salt Lake City, UT, USA (ANP); and HCA Research Institute, Nashville, TN, USA (ANP)

Mehra MR, Desai SS, Ruschitzka F, Patel AN. Hydroxychloroquine or chloroquine with or without a macrolide for treatment of COVID-19: a multinational registry analysis. Lancet 2020; published online May 22. https://doi.org/10.1016/S0140-6736(20)31180-6.